

Archetype

Outdoor Wall Sconce 3000K

Catalog Number:		
Project:		
Location:		

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W15912 12"	3000K	BK Black	10W	800	331

Example: WS-W15912-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Stately Modern.

FEATURES

- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI 90

Dimming: ELV: 100-10% Rated Life: 54,000 Hours

Mounting: Can be mounted on wall vertically or upside down

Standards: ETL, cETL, IP65, Title 24 JA8 Compliant, ADA, Wet Location

Listed

Construction Aluminum hardware with etched glass diffuser




FINISHES:

Fixture Type:



LINE DRAWING



WS-W15912



Archetype

Outdoor Wall Sconce 3000K

Catalog Number:			
Project:			
Location:			

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W15918 18"	3000K	BK Black	13W	1000	435

Example: WS-W15918-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Stately Modern.

FEATURES

- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI 90

Dimming: ELV: 100-10% Rated Life: 54,000 Hours

Mounting: Can be mounted on wall vertically or upside down

Standards: ETL, cETL, IP65, Title 24 JA8 Compliant, ADA, Wet Location

Listed

Construction Aluminum hardware with etched glass diffuser




FINISHES:

Fixture Type:



LINE DRAWING





Archetype

Outdoor Wall Sconce 3000K

Fixture Type:
Catalog Number:
Project:
Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W15924 24"	3000K	BK Black	16W	1200	571

Example: WS-W15924-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Stately Modern.

FEATURES

- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI 90

Dimming: ELV: 100-10% Rated Life: 54,000 Hours

Mounting: Can be mounted on wall vertically or upside down

Standards: ETL, cETL, IP65, Title 24 JA8 Compliant, ADA, Wet Location

Listed

Construction Aluminum hardware with etched glass diffuser



FINISHES:



LINE DRAWING

