

# WAC LIGHTING

## Banded

### Square Multi Light 4CCT

Fixture Type: \_\_\_\_\_  
 Catalog Number: \_\_\_\_\_  
 Project: \_\_\_\_\_  
 Location: \_\_\_\_\_

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-68913S	2700K/3000K/3500K/ 4000K	AB Aged Brass BK Black	126W	10387	5577

Example: **PD-68913S-BK**  
 For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### FEATURES

- Thin, adjustable powered aircraft cables for an ultra-clean look
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver included
- 5 Year warranty

#### SPECIFICATIONS


<b>Color Temp:</b>	2700K/3000K/3500K/4000K
<b>Input:</b>	120-277V, 50/60Hz
<b>CRI</b>	90
<b>Dimming:</b>	ELV: 100-10% , 0-10V: 100-10% , TRIAC: 100-10%
<b>Rated Life:</b>	50,000 Hours
<b>Standards:</b>	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
<b>Construction</b>	Aluminum hardware



#### FINISHES:



#### LINE DRAWING:



PD-68913S

# WAC LIGHTING

## Banded

### Square Multi Light 4CCT

Fixture Type: \_\_\_\_\_  
 Catalog Number: \_\_\_\_\_  
 Project: \_\_\_\_\_  
 Location: \_\_\_\_\_

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-68925S	2700K/3000K/3500K/4000K	AB Aged Brass BK Black	232W	19975	10725

Example: **PD-68925S-BK**  
 For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### FEATURES

- Thin, adjustable powered aircraft cables for an ultra-clean look
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver included
- 5 Year warranty

#### SPECIFICATIONS


<b>Color Temp:</b>	2700K/3000K/3500K/4000K
<b>Input:</b>	120-277V, 50/60Hz
<b>CRI</b>	90
<b>Dimming:</b>	ELV: 100-10%, 0-10V: 100-10%, TRIAC: 100-10%
<b>Rated Life:</b>	50,000 Hours
<b>Standards:</b>	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
<b>Construction</b>	Aluminum hardware



#### FINISHES:



#### LINE DRAWING:



PD-68925S

# WAC LIGHTING

## Banded

### Square Multi Light 4CCT

Fixture Type: \_\_\_\_\_  
 Catalog Number: \_\_\_\_\_  
 Project: \_\_\_\_\_  
 Location: \_\_\_\_\_

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-68941S	2700K/3000K/3500K/ 4000K	AB Aged Brass BK Black	372W	32759	17589

Example: **PD-68941S-BK**  
 For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### FEATURES

- Thin, adjustable powered aircraft cables for an ultra-clean look
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver included
- 5 Year warranty

#### SPECIFICATIONS

<b>Color Temp:</b>	2700K/3000K/3500K/4000K
<b>Input:</b>	120-277V, 50/60Hz
<b>CRI</b>	90
<b>Dimming:</b>	ELV: 100-10%, 0-10V: 100-10%, TRIAC: 100-10%
<b>Rated Life:</b>	50,000 Hours
<b>Standards:</b>	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
<b>Construction</b>	Aluminum hardware



#### FINISHES:



#### LINE DRAWING:

