

# WAC LIGHTING

## Case

### Outdoor Wall Sconce 3000K

Fixture Type: \_\_\_\_\_  
Catalog Number: \_\_\_\_\_  
Project: \_\_\_\_\_  
Location: \_\_\_\_\_

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W47809 9"	3000K	BK Black	13W	1040	411

Example: **WS-W47809-BK**

•For 277V special order, add an "F" before the finish: WS-W47809F-BK

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### DESCRIPTION

Clean, simple form with weather-resistant black or durable stainless steel. Mount it vertically or horizontally.

#### FEATURES

- Weather-resistant finish for aluminum
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS


<b>Color Temp:</b>	3000K
<b>Input:</b>	120 VAC,50/60Hz
<b>CRI</b>	90
<b>Dimming:</b>	ELV: 100-10%
<b>Rated Life:</b>	81,000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, IP65, Title 24 JA8 Compliant, ADA, Wet Location Listed
<b>Construction</b>	Aluminum body or stainless steel body with acrylic diffuser



#### FINISHES:



#### LINE DRAWING:



WS-W47809

# WAC LIGHTING

## Case

### Outdoor Wall Sconce 3000K

Fixture Type: \_\_\_\_\_  
Catalog Number: \_\_\_\_\_  
Project: \_\_\_\_\_  
Location: \_\_\_\_\_

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W47814 14"	3000K	BK Black SS Stainless Steel	22W	1644	885

Example: **WS-W47814-SS**

•For 277V special order, add an "F" before the finish: WS-W47814F-BK

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### DESCRIPTION

Clean, simple form with weather-resistant black or durable stainless steel. Mount it vertically or horizontally.

#### FEATURES

- Weather-resistant finish for aluminum
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

<b>Color Temp:</b>	3000K
<b>Input:</b>	120 VAC,50/60Hz
<b>CRI</b>	90
<b>Dimming:</b>	ELV: 100-10%
<b>Rated Life:</b>	81,000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, IP65, Title 24 JA8 Compliant, ADA, Wet Location Listed
<b>Construction</b>	Aluminum body or stainless steel body with acrylic diffuser

#### REPLACEMENT PARTS


Glass -



#### FINISHES:



#### LINE DRAWING:



WS-W47814

# WAC LIGHTING

## Case

### Outdoor Wall Sconce 3000K

Fixture Type: \_\_\_\_\_  
Catalog Number: \_\_\_\_\_  
Project: \_\_\_\_\_  
Location: \_\_\_\_\_

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W47820 20"	3000K	BK Black	34W	2560	1034

Example: **WS-W47820-BK**

•For 277V special order, add an "F" before the finish: WS-W47820F-BK

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### DESCRIPTION

Clean, simple form with weather-resistant black or durable stainless steel. Mount it vertically or horizontally.

#### FEATURES

- Weather-resistant finish for aluminum
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

<b>Color Temp:</b>	3000K
<b>Input:</b>	120 VAC,50/60Hz
<b>CRI</b>	90
<b>Dimming:</b>	ELV: 100-10%
<b>Rated Life:</b>	81,000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, IP65, Title 24 JA8 Compliant, ADA, Wet Location Listed
<b>Construction</b>	Aluminum body or stainless steel body with acrylic diffuser

#### REPLACEMENT PARTS


Glass -



#### FINISHES:



#### LINE DRAWING:



WS-W47820