

WAC LIGHTING

LEDme

1 Light Multiple Spot Housing

Fixture Type: _____
 Catalog Number: _____
 Project: _____
 Location: _____

Model	Beam	Color Temp & CRI	Rating (IC / NON IC)	Finish	Lumens	CBCP	
MT-LED118	F 25°	27 2700K - 85	HS	White	639	2672	
		27 2700K - 85	HSNIC		870	3595	
		30 3000K - 85	HS		639	2760	
		30 3000K - 85	HSNIC		870	4433	
		35 3500K - 85	HS		680	2986	
		35 3500K - 85	HSNIC		926	4041	
		40 4000K - 85	HS		768	3920	
		40 4000K - 85	HSNIC		1017	5215	
		S 10°	27 2700K - 85		HS	621	4903
			27 2700K - 85		HSNIC	849	6402
	30 3000K - 85		HS	621	5354		
	30 3000K - 85		HSNIC	849	6397		
	35 3500K - 85		HS	661	5553		
	35 3500K - 85		HSNIC	904	7613		
	40 4000K - 85		HS	755	7089		
	40 4000K - 85		HSNIC	1003	8813		

Example: **MT-LED118F-27HS-WT**

DESCRIPTION

High-performance LEDme Multiple Spots are manufactured with long lasting, energy-efficient LED technology for reduced energy costs and lower maintenance over time. Perfect for perimeter lighting in commercial, architectural and retail applications. Trims are available in flanged or Invisible Trim™ options. Invisible Trim™ is designed to sit flush with the ceiling for a clean, architectural look. Housing and trim are ordered separately. The housing includes LED engine with light source, lamps are not required. Available in One, Two, Three, and Four Light versions.



FEATURES

- Driver concealed within the fixture
- 5 year warranty

SPECIFICATIONS

Construction	Die-cast aluminum head with rotatable front face. Steel trim.
Power:	11W, 17.5W
Input:	120 VAC, 50/60Hz
Dimming:	ELV: 100-10%
Light Source:	Integrated LED, 3 Step Mac Adam Ellipse
Rated Life:	50,000 Hours
Finish:	Electrostatically Powder Coated: White, White
Operating Temp:	-4°F to 104°F (-20°C to 40°C)
Standards:	UL, cUL, Damp Location Listed, HS

FINISHES:



White

REPLACEMENT PARTS

- RM-6X3-27 - LED Module
- RM-6X3-30 - LED Module
- RM-6X3-35 - LED Module
- RM-6X3-45 - LED Module


WAC LIGHTING

LEDme

1 Light Multiple Spot Housing

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

LINE DRAWING:



WAC LIGHTING

LEDme

11W Multiple Spot 1 Light Trim

Model & Product

MT-LED118-WT LED Multiple Single Light Trim
MT-LED118-TL LED Multiple Single Light Invisible Trim

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

Example: **MT-LED118-WT**

DESCRIPTION

High-performance LEDme Multiple Spots are manufactured with long lasting, energy-efficient LED technology for reduced energy costs and lower maintenance over time. Perfect for perimeter lighting in commercial, architectural and retail applications. Trims are available in flanged or Invisible Trim™ options. Invisible Trim™ is designed to sit flush with the ceiling for a clean, architectural look. Housing and trim are ordered separately. The housing includes LED engine with light source, lamps are not required. Available in One, Two, Three, and Four Light versions.

FEATURES

- 5 year warranty

SPECIFICATIONS

Construction	Die-cast aluminum head with rotatable front face. Steel trim.
Light Source:	Integrated LED
Finish:	Electrostatically Powder Coated: White,
Operating Temp:	-4°F to 104°F (-20°C to 40°C)
Standards:	UL, cUL, Damp Location Listed



FINISHES:



White

LINE DRAWING

