

WAC LIGHTING

Vie

Bathroom Sconce 2700K

Fixture Type: _____
 Catalog Number: _____
 Project: _____
 Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-6614 14"	2700K	BN Brushed Nickel CH Chrome	19W	1462	755

Example: **WS-6614F-BN**

- For 277V special order, add an "F" before the finish: WS-6614F-CH
- For alternate color temperature, special order adding 30 or 35: WS-6614F-35-CH

For custom requests please contact customs@wacighting.com

DESCRIPTION

Sleek understated elegance in a unique format perfect for narrow bath applications and niches. Utilizing proprietary LED technology, the bath luminaire operates without a driver or transformer and dims beautifully with an ELV dimmer. Cool contemporary Brushed Nickel and Chrome finishes.

FEATURES

- Sleek elegance for narrow applications
- Refer to California Electronic Commission site to confirm Title 24 status
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K,3000K,3500K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	80,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, ADA, Damp Location Listed
Construction	Aluminum hardware with glass diffuser

REPLACEMENT PARTS


RPL-GLA-6614 - Glass for WS-6614



FINISHES:



LINE DRAWING:



WAC LIGHTING

Vie

Bathroom Sconce 2700K

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-6618 18"	2700K	BN Brushed Nickel CH Chrome	25W	1845	1040

Example: **WS-6618F-BN**

•For 277V special order, add an "F" before the finish: WS-6618F-CH

•For alternate color temperature, special order adding 30 or 35: WS-6618F-35-CH

For custom requests please contact customs@wacighting.com

DESCRIPTION

Sleek understated elegance in a unique format perfect for narrow bath applications and niches. Utilizing proprietary LED technology, the bath luminaire operates without a driver or transformer and dims beautifully with an ELV dimmer. Cool contemporary Brushed Nickel and Chrome finishes.

FEATURES

- Sleek elegance for narrow applications
- Refer to California Electronic Commission site to confirm Title 24 status
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K,3000K,3500K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	80,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, ADA, Damp Location Listed
Construction	Aluminum hardware with glass diffuser

REPLACEMENT PARTS

RPL-GLA-6618 - Glass for WS-6618




FINISHES:



Brushed
Nickel

Chrome

LINE DRAWING:



WS-6618

WAC LIGHTING

Vie

Bathroom Sconce 2700K

Fixture Type: _____
 Catalog Number: _____
 Project: _____
 Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-6620 20"	2700K	BN Brushed Nickel CH Chrome	26W	1846	1085

Example: **WS-6620F-BN**

- For 277V special order, add an "F" before the finish: WS-6620F-CH
- For alternate color temperature, special order adding 30 or 35: WS-6620F-35-CH

For custom requests please contact customs@wacighting.com

DESCRIPTION

Sleek understated elegance in a unique format perfect for narrow bath applications and niches. Utilizing proprietary LED technology, the bath luminaire operates without a driver or transformer and dims beautifully with an ELV dimmer. Cool contemporary Brushed Nickel and Chrome finishes.

FEATURES


- Sleek elegance for narrow applications
- Refer to California Electronic Commission site to confirm Title 24 status
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty



SPECIFICATIONS

Color Temp:	2700K,3000K,3500K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	80,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, ADA, Damp Location Listed
Construction	Aluminum hardware with glass diffuser


FINISHES:



REPLACEMENT PARTS

RPL-GLA-6620 - Glass for WS-6620

LINE DRAWING:



WAC LIGHTING

Vie

Bathroom Sconce 2700K

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-6624 24"	2700K	BN Brushed Nickel CH Chrome	35W	2580	1585

Example: **WS-6624F-BN**

•For 277V special order, add an "F" before the finish: WS-6624F-CH

•For alternate color temperature, special order adding 30 or 35: WS-6624F-35-CH

For custom requests please contact customs@wacighting.com

DESCRIPTION

Sleek understated elegance in a unique format perfect for narrow bath applications and niches. Utilizing proprietary LED technology, the bath luminaire operates without a driver or transformer and dims beautifully with an ELV dimmer. Cool contemporary Brushed Nickel and Chrome finishes.

FEATURES


- Sleek elegance for narrow applications
- Refer to California Electronic Commission site to confirm Title 24 status
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty



SPECIFICATIONS

Color Temp:	2700K,3000K,3500K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	80,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, ADA, Damp Location Listed
Construction	Aluminum hardware with glass diffuser

FINISHES:




Brushed Nickel

Chrome

REPLACEMENT PARTS

RPL-GLA-6624 - Glass for WS-6624

LINE DRAWING:



WS-6624

WAC LIGHTING

Vie

Bathroom Sconce 2700K

Fixture Type: _____
 Catalog Number: _____
 Project: _____
 Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-6636 36"	2700K	BN Brushed Nickel CH Chrome	55W	4043	2360

Example: **WS-6636F-BN**

- For 277V special order, add an "F" before the finish: WS-6636F-CH
- For alternate color temperature, special order adding 30 or 35: WS-6636F-35-CH

For custom requests please contact customs@wacighting.com

DESCRIPTION

Sleek understated elegance in a unique format perfect for narrow bath applications and niches. Utilizing proprietary LED technology, the bath luminaire operates without a driver or transformer and dims beautifully with an ELV dimmer. Cool contemporary Brushed Nickel and Chrome finishes.

FEATURES


- Sleek elegance for narrow applications
- Refer to California Electronic Commission site to confirm Title 24 status
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty



SPECIFICATIONS

Color Temp:	2700K,3000K,3500K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	80,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, ADA, Damp Location Listed
Construction	Aluminum hardware with glass diffuser


FINISHES:



REPLACEMENT PARTS

RPL-GLA-6636 - Glass for WS-6636

LINE DRAWING:



WS-6636