


# InvisILED® OUTDOOR

## Wet Rated LED Tape



Fixture Type:

Catalog Number:

Project:

Location:

### PRODUCT DESCRIPTION

Designed for the outdoors, this durable and professional grade white tape light delivers superior color consistency and brightness throughout the strip. An IP65 Outdoor Wet Location rating and unique silicon tube protection guards against the elements while offering 3 CCT choices to illuminate hardscaping, landscaping and architectural features.

### FEATURES

- May be cut every 4 inches
- Beam Spread: 115°
- Multiple roll lengths offered
- Equal brightness from end to end
- Protection against water spray, dust with silicone jacket (IP65)
- 100 ft max distance between the power supply and beginning of InvisILED®

### SPECIFICATIONS

- Construction:** Flexible strip light in silicon tube
- Cutting Interval:** 4"
- Input:** 24VDC
- Lumens:** Up to 200 lm/ft
- Max Run:** Refer to ordering table
- Controls:** Wireless: Through T24-OD-CTR Outdoor Wireless DMX Controller
- Dimming:** Through wall controller: LED-WCT-WT, and MyWAC app, DMX 512-A, Smart Home assistant (Google Home, Amazon Alexa) Wired: Through Std. Power Supply
- CRI:** 90
- McAdams Steps:** 3
- Color Temp:** 2700K / 3000K/ 4000K
- Rated Life:** 50,000 hours
- Operating Temp:** -4°F to 104°F (-20°C to 40°C)
- Standards:** UL & cUL listed, Wet Location listed, Title 24 Compliant
- IP Rating:** IP65

### TAPE SELECTIONS

System	Max Run	Power	Length (in feet)							Color Temp	
			01	05	10	20	40	80	27	30	40
<b>T24-OD1</b> 100+lm/ft	80ft	1.2W/ft	01	05	10	20	40	80	27	30	40
<b>T24-OD2</b> 200+lm/ft	40ft	2.4W/ft	01	05	10	20	40	N/A	27	30	40

Example: **T24-OD1-20-27**

wacighting.com

Phone (800) 526.2588

Fax (800) 526.2585

Headquarters, East Manufacturing Facility

44 Harbor Park Drive

Port Washington, NY 11050

South East Manufacturing Facility

1600 Distribution Ct

Lithia Springs, GA 30122

Central Manufacturing Facility

1700 South J Elmer Freeway, Ste 100











Cedar Hill, TX 75104

West Manufacturing Facility



1750 S Archibald Ave

Ontario, CA 91761

Accessories

	MODEL	Finish		
	<b>T24-WE-IC-002-BK</b> <b>T24-WE-IC-006-BK</b> <b>T24-WE-IC-012-BK</b> <b>T24-WE-IC-036-BK</b> <b>T24-WE-IC-072-BK</b> <b>T24-WE-IC-144-BK</b> <b>T24-WE-IC-240-BK</b>	Black	2 in 6 in 1 ft 3 ft 6 ft 12 ft 20 ft	Tape to Tape Connector Connects tape sections Extends power supply lead wire
	<b>T24-WE-B012-BK</b> <b>T24-WE-B072-BK</b>	Black	1 ft 6 ft	InvisiLED Outdoor Lead Wire Connects to Indoor Power Supply
	<b>T24-WE-EX2-006-BK</b>	Black	6 in	InvisiLED Outdoor Power Connector Kit with Wire Jacket and Silicone Sealant Allows power to Wet Rated tape
	<b>T24-WE-Y-BK</b>	Black		InvisiLED Outdoor Tape to Tape Y Connector Splits power to the two tape sections
	<b>T24-WE-EC</b>	White		Wet Rated Tape End Caps with Silicone Sealant 24VDC Wet Rated (10 pieces)
	<b>LED-TO24-C1</b>	Black		InvisiLED Outdoor Surface Mounting Clips 24VDC Wet Rated Mounting Screws (10 pieces)
	<b>LED-TO24-C2</b>	Black		InvisiLED Outdoor Edge Mounting Clips 24VDC Wet Rated Tape Mounting Screws (10 pieces)
	<b>LED-TO24-C3</b>	Black		InvisiLED Outdoor Underside Mounting Clips 24VDC Wet Rated Tape Mounting Screws (10 pieces)
	<b>T24-WE-CH5</b>	Clear	5 ft	InvisiLED Outdoor Surface Mount Clear Channel
	<b>T24-WE-SI-45</b>	White		Silicone Sealant Wet Location Tape Sealant (45 grams)

POWER SUPPLY FOR TRIAC/ELV DIMMER CONTROL




	MODEL	Input	Output	Dimming	
	<b>PS-24DC-U96R-WE</b>	<b>120-277VAC</b>	24VDC 96W	ELV / TRIAC	Remote Power Supply - Wet Location IP67 8 3/8" x 2 13/16" x 1 11/16" > 0.9 pf Overload and short circuit protection Includes 6ft lead wire
	<b>PS-24DC-A96P-WE</b>	<b>120VAC</b>	24VDC 96W	N/A	Portable Power Supply - Wet Location IP67 8 3/8" x 2 13/16" x 1 11/16" > 0.9 pf Overload and short circuit protection Includes 6ft lead wire 120V input power cord ready

# InvisiLED® OUTDOOR








## Wet Rated LED Tape




### POWER SUPPLY FOR WIRELESS/DMX CONTROL

MODEL	Input	Output	Dimension	
 <b>PS-24DC-U96R-IP67</b>	120/277VAC	24VDC, 96W	8 3/8" x 2 13/16" x 1 11/16"	<i>Remote Power Supply - Wet Location IP67 Class 2 Output Power Supply. Includes 6ft lead wire</i>
 <b>PS-24DC-U96R-IP45</b>	120/277VAC	24VDC, 96W	8 13/16" x 2 1/16" x 1 1/4"	<i>Remote Power Supply - Damp Location IP45 Class 2 Output Power Supply Includes 6ft lead wire</i>
 <b>PS-24DC-A96P-OD</b>	120VAC	24VDC, 96W	8 3/8" x 2 13/16" x 1 11/16"	<i>Portable Power Supply - Wet Location IP67 Class 2 Output Power Supply Includes 6ft lead wire</i>

### WIRELESS CONTROLLER & ACCESSORIES

MODEL	Input	Output	Dimension	
 <b>T24-OD-CTR</b>	24VDC, 96W Max from power supply 3ft input cable included	24VDC, 90W Max 3ft output cable included	5" x 3 1/2" x 1 1/2"	<i>Outdoor Wireless DMX Controller Allows outdoor tape to be wirelessly controlled through MyWAC app, WallStation, or DMX. IP 65 wet rated *Wi-Fi network is required to operate the system</i>
 <b>LED-WCT-WT</b>	120-230VAC	N/A	4 5/8" x 2 3/4" x 1 5/8"	<i>WallStation Multi-scene selection Raise/Lower, dedicated Off button Suitable for standard single NEMA wall box Setup and configuration via MyWAC mobile application No physical adjustment needed cUL listed</i>
 <b>T24-WE-EX-CTR</b>			6 in	<i>Wireless Controller Joiner Cable Connects between Outdoor Wireless DMX Controller (T24-OD-CTR) and InvisiLED Outdoor Tape light</i>
 <b>T24-OD-SW60</b>			5ft	<i>DMX Joiner Cable - Satellite Connect between T24-OD-CTR Master to Satellite</i>
 <b>T24-OD-SW120</b>			10ft	
 <b>T24-OD-MW60</b>			5ft	<i>DMX Joiner Cable - Universe Connect between DMX Universe to T24-OD-CTR</i>
 <b>T24-OD-MW120</b>			10ft	

### EXAMPLE INSTALLATION FOR WIRELESS AND DMX CONTROL



wacighting.com  
Phone (800) 526.2588  
Fax (800) 526.2585

Headquarters, East Manufacturing Facility  
44 Harbor Park Drive  
Port Washington, NY 11050

South East Manufacturing Facility  
1600 Distribution Ct  
Lithia Springs, GA 30122

Central Manufacturing Facility  
1700 South J Elmer Freeway, Ste 100  
Cedar Hill, TX 75104

West Manufacturing Facility  
1750 S Archibald Ave  
Ontario, CA 91761